

CORROSION

VOLUME 22

JANUARY 1—DECEMBER 31

1966

C O N T E N T S

Tables of Contents

Alphabetical Subject Index

Alphabetical Index to Authors

PAGE NUMBERS BY MONTHS

Pages	
191-214	July
215-252	August
253-270	September
271-296	October
297-324	November
325-352	December

Pages	
1- 28	January
28- 52	February
53- 80	March
81-116	April
117-156	May
157-190	June



Alphabetical Subject Index

CORROSION, Volume 22, 1966

A	A continued	C continued	E continued
ACIDS Acetic, influence in salt spray tests on aluminum, 7 Fluosilicic, tantalum tests in, 1 Hydrochloric vs 1095, 38C, 294 " vs aluminum, 53 " vs ferrosilicon alloys, 117 " vs iron 15-40 chromium, 107 " vs titanium, 98 "-methanol vs titanium & zirconium, 29 Nitric vs Inconel 600, Hastelloy B, C 108C with potassium dichromate, 285 " vs titanium, 98, 320 Ni-Cr-Mo-Fe-W alloys, heat treatment vs attack by, 336 Phosphoric with potassium chloride, 120C vs tantalum, 1 "-methanol vs titanium & zirconium, 29 Sulfuric vs 17Cr ferritic, 297 + sodium chloride vs 202, 321, p257 " vs 1045, 4047, 4140, 4340, 5140, anodic polarization in, 346 " vs 310 with cathodic charging, 253 " vs 310 with sodium arsenite, 23 " vs nickel, 81 " vs nickel, chromium, 32 " vs titanium, 102 "-methanol vs titanium & zirconium, 29 Sulfurous vs low carbon steel, 143 Active patches on nickel, chromium in hydrogen-saturated sulfuric acid, 32 Aeration, differential couples, 13Cr, 18-9 steels in sea water, 16 Ainsworth vacuum balance, 207, 291 AIR vs Carbon steel, with brine, hydrogen sulfide, carbon dioxide, 325 Drying, influence on titanium vs 65% nitric acid, 103 Humid vs dry, tungsten, 600-1000C, 291 Sulfur dioxide vs low carbon steel, influence on, 144 Alcohol, molecular weight/influence on titanium, zirconium, stress corrosion cracking, 29 Allihn, reflux condenser, 98 Alloying elements, influence on stress corrosion cracking 4340 martensitic, 278 ALUMINUM AND ALLOYS 2024 vs salt water, 7 5000 series aluminum-magnesium vs marine environments, 68 6061 vs salt fog, 7 7075 vs exfoliation tests, 7 Aging, influence vs exfoliation, 7 (as alloy) influence vs 650-750C steam, 147 Aluminum-magnesium nails vs salt fog, 7 Exfoliation, mechanism, 7 (in) iron vs oxygen 500-1000C, 168 Hydrochloric acid, inhibition by amines, 53 Alundum, 217 AMMONIA vs a brass, 178 vs copper & brass, 113	Annealing, influence vs stress cracking, stainless steels, 23 Annealing contamination of zirconium vs 500C water, 60 ANODIC 17Cr ferritic, sulfuric acid behavior, 297 Passivation, high alloys in 649C fluoride salts, 194 Polarization, nickel in sulfuric acid, continuous vs pulse techniques, 81 ", titanium, effect on cracking, 323 Armco Iron, 277 Autoradiographs, stress corrosion cracking of stainless steel, 49 B Bakelite, 218 Beckman, 217 Beneficiation, ferrosilicon powder for, 117 Blisters, hydrogen in 1020, 1000F, 313 Blood, composition vs materials, 205 BRASS a vs ammonia, 178 Mercury-nitrate test, 74 Bridgman method, crystal growing, 133 Brine-hydrocarbon systems, rate studies in, 215 Brine, carbon steel, in, 325 Bristol AU recorder, 291 Bromide solution vs titanium, 320 Butylamines, inhibition for aluminum vs hydrochloric acid, 53 C Cahn, R. G., Recording Electrobalance, 207 Carbon, ferrosilicon alloys, effect on, 117 Carbon, removal by hydrogen from 1020 steel 800 psig, 1000F, 315 Carbonaceous material, influence on sulfurous acid attack, 137 Carbon dioxide vs carbon steel, with brine, air and hydrogen sulfide, 325 Cathodic charging, hydrogen vs 310 in sulfuric acid, 253 Cathodic polarization, titanium vs cracks in salt water, 322 Cathodic protection, Inor-8, Hastelloy B in 649C fluoride salts, 194 Cations, influence on zirconium in 500C water, 63 Cavitation, stainless steel, tantalum, molybdenum, columbium vs lead-bismuth 260-816C, 157 Cerium vs oxygen, 206 Chelating agents, influence on titanium in acids, 106 Chlorate solution vs titanium, 32C CHLORIDES Stainless steel vs 100 ppm boiling, 49 vs titanium, 320 Chlorine vs titanium, 320 CHROMIUM AND ALLOYS 17-4PH vs hydrogen sulfide, 238	CHROMIUM AND ALLOYS Continued Aluminum-magnesium, vs stress cracking, 69 (in) Copper alloys, inhibition vs ammonia, 113 Electrode potential in sea water, influence on, 16 Ferrosilicon alloys, effect on, 117 vs Hydrogen-saturated sulfuric acid 25-95C, 32 Iron alloys, pitting in hydrochloric acid, effect on pitting, 107 Iron passivation in hydrochloric acid, critical content for passivation, 111 Chromium-nickel alloys, 316 vs 350-650C high purity water and steam, 280 Chromium-nickel alloys, 347 vs 350-650C high purity water and steam, 280 Coatings, chromized on mild steel, 107 COLD WORKING 202, 321, effect in sulfuric acid + sodium chloride, 257 vs 17-7 (301) stress corrosion cracking, 23 304 stainless steel, influence 700-900C, 152 vs 309 in 42w/o magnesium chloride, 21 Aluminum-magnesium vs sea water, influence, 72 Columbium vs lead-bismuth 260-816C, 157 Contamination, effect on zirconium in steam, 500C, 60 COPPER AND ALLOYS 17Cr, influence vs sulfuric acid as alloy, 297 Ammonia vs a brass, influence in, 178 Contaminant in 500C water vs zirconium, 60 Inhibited by NH_4OH by $(\text{NH}_4)_2\text{CrO}_4$, 113 Mercuric nitrate test, 74 Copper-ammine effect on a brass, 181 Copper-zinc-ammonia complex, adsorbed on a brass, 178 Corratier, 218 Corrosion, 118 Corrosion products, effect on living tissue, 205 Corrosion research in universities, 296 Cracks, hydrogen, 4340 vs 218C sodium chloride, 266 Crevices vs 13Cr, 18-9 steels, salt water, 16 Crystallographic plane, influence on zinc in sodium bromate, 132 Current densities, cathodic protection of high alloys in fluoride salts, 194 D Deoxo purifier, 33 Dillon Machine, 230 Duriron, 118 Dysprosium vs oxygen, 206 E ELECTROCHEMICAL PHENOMENA a brass vs copper-ammonia, 185 Rate measurement, 215 Stress corrosion cracking 4340 vs sodium chloride + oxygen, 234	Electrode potentials, 13Cr, 18-9 steels in sea water, 16 Ellipsometry, method, 88 EMBRITTLEMENT 4340 in 218C sodium chloride, 266 Copper alloys vs mercury, 78 Hydrogen of 310 in sulfuric acid, cathodic charging, 253 Erbium vs oxygen, 206 Ethanol, with hydrochloric acid vs zirconium, 29 Exfoliation, aluminum alloys, mechanism, 7 F Fatigue testing, carbon steel, vs brine, air, hydrogen sulfide, carbon dioxide, 325 Ferric sulfide, identification of structure, 191, 349 Ferrosilicon alloys vs sodium chloride, sodium sulfate, hydrochloric acid, sulfuric acid, 117 Ferrovac 1020, 311 FILMS Chemical analysis 304 oxide, 153 Chromium & nickel in hydrogen-saturated sulfuric acid, 32 Ellipsometric study of, 88 Iron aluminum, 500-1000C, oxygen, 168 Oxygen on zirconium, 61 Passive, breakdown studies 17Cr vs sulfuric acid, 302 Stainless steel, Inconel, Incoloy, Rene 41 in 650C steam, 137 Sulfide on iron, protectiveness, 190, 351 Tantalum, passive in $\text{KCl-H}_3\text{PO}_4\text{-H}_2\text{O}$, 1 Titanium in acids, importance of, 105 Fluorides vs tantalum in phosphoric acid, 1 G Gadolinium vs oxygen, 206 Galvanic effects, crevices, 13Cr, 18-9 steels in salt water, 16 Galvanostatic testing, 4340 vs sodium chloride, 229 Galvanostatic testing, nickel in sulfuric acid, 81 Gas, inert, at interface, 649C fluoride salts, 197 Gold, alloy in zinc, 132 GRAIN SIZE 302, influence on stress corrosion cracking in 154C 42w/o magnesium chloride, 261 Materials vs 650-750C steam, influence, 149 GRAPHED DATA 1034 AISI fatigue curves, air, salt water, with carbon dioxide, with hydrogen sulfide, with hydrogen sulfide and carbon dioxide, 328 17Cr polarization vs sulfuric acid, potential vs density, 300 a brass, cracking time vs pH, copper-ammonia, 180

G continued

GRAPHED DATA Continued

Anodic polarization, mild steel, in lithium bromide solution uninhibited, 43

Anodic polarization, mild steel in lithium bromide with Li_2CrO_4 , 43

Aluminum vs hydrochloric acid concentration vs cathodic protection, 56

" current density vs cathodic protection, 57

" inhibitor concentration vs cathodic protection, 57

" inhibitor efficiency vs acid concentration, 55

" inhibitor efficiency vs inhibitor concentration, 55

" inhibitor efficiency vs time, 55

" weight loss vs time, 54

" weight loss vs concentration, 54

Carbon content vs distance through specimen wall, 800 psig hydrogen, 1000F, 317

Cathodic polarization curves, ferrosilicon alloys, current density vs mV reversible potential, 122

" mild steel in inhibited lithium bromide, 43

Cerium vs moisture, time vs wt/gain, 210

Cold work vs 309 in MgCl_2 154C, 21

Concentrated dissolved copper vs a brass in 1.5M ammonia, 183

Corrosion current vs inhibitor concentration, mild steel in lithium bromide with Li_2CrO_4 , 45

Electrode potential decay curves, $17\text{Cr} + 1; 3\text{Mo}$ vs sulfuric acid

FeCr vs hydrochloric acid, potential vs current density, 110

Fe film growth vs potential, 93

Ferrosilicon alloys, scanning rate influence polarization curve shape, 125

Ferrosilicon alloys vs sodium chloride, alloying additions, influence on, 129

Ferrosilicon alloys, immersion time influence on polarization, 123

Grain size, stress vs time to failure 302 in 42w/o MgCl_2 154C, 262

High strength steel, 5% sodium chloride with varying hydrogen sulfide, failure time vs hardness, 246

High strength steel, failure times vs pH with and without hydrogen sulfide, 243

Hydrogen attack depth vs hydrogen pressure squared, 1075F, 317

Hydrogen attack depth vs time, 1200 psig, 1000F, 314

Hydrogen cracking times 301 vs cold working MgCl_2 , 23

Hydrogen volume through 310 vs time, 255

Hydrogen penetration of 310 vs current density, 254

Hydrogen permeation of 310 vs time, 254

Hydrogen permeability of 310 vs current density, 256

Hydrogen volume vs time, 1200 psig, 950-1100F, 315

Mercury, boiling, liquidus curves vs Ti, Zr, Ni, Cr, Fe, Co, Ta, 138

Methane formation, 1000F vs time, 1000 psig hydrogen, 313

Methane fugacity, 1200 psig hydrogen, vs specimen wall thickness, 311

Methane volume vs time, 950F, 1200 psig hydrogen, 317

Nickel content, influence, 17Cr NiFe in nitric acid 5N(Cr VI), 285

Ni-Cr-Mo-Fe-W alloys, time-temp. transformation diagram, 340

Oxidation of erbium, time vs weight gain, 209

Oxidation lanthanum, time vs weight gain, 208

Oxygen effect on polarization 4340 steel vs sodium chloride, stressed and unstressed, 231, 232, 233

G continued

GRAPHED DATA Continued

Oxygen influence polarization 4340 in sodium chloride, potential vs density, 276

Passive film stability, 17Cr stainless steel vs Mo, Si, P, Cu vs H_2SO_4 , 305

pH effect on aerobic fatigue life AISI 1035, 330

Phosphate ions, time of removal rate by boiling chloride, 50

Polarization curve, 17Cr + 1, 3 Mo, active region vs sulfuric acid, potential vs density, 300, 301

Polarization curves, ferrosilicon vs 1% $\text{NaCl}/0.5\%$ Na_2SO_4 at different potential scanning rates, 121

Polarization data 4340 steel, sodium chloride potential vs current density, 231

Polarization curves, Inor 8, Zircaloy 2, graphite under hydrogen-fluoride, 195

Sodium chloride influence in sulfuric acid vs 202, 258

Sodium chloride influence in sulfuric acid vs 321, 258

Steels, mild and alloy, potentiostatic anodic polarization curves, hydrogen-saturated 5N sulfuric acid 25C, 347

Stress corrosion cracking times, 301 vs cold working, MgCl_2 , 23

Stress influence polarization 4340 in sodium chloride, potential vs density, 276

Temperature dependence parabolic rate constant 1 & 5% Fe-Al, 175

Temperature vs cracking time a brass in cu-ammonia, 183

Tempering effect on polarization 4340 in sodium chloride, 233, 234, 235

Ti potential vs time in chloride solutions, 322

Ti^{+4} conc. vs weight gain Ti in hydrochloric boiling, 100

Ti^{+4} vs weight change Ti in 20% hydrochloric, 101

Weight gain vs time, FeAl 500-1000C vs oxygen, 170

W, weight gain vs time, oxygen 600-1000C, 292

Graphite vs fluoride salts, 649C, 194

H

Halides vs aluminum, exfoliation influence, 7

Halides vs titanium, 320

Hardness, relation to cavitation resistance, 157

Hastelloy-B, 194

Hastelloy-B & C vs 350-650C ultra-pure water and steam, 280

HEAT TREATMENT

13Cr, 18-9 steel in sea water, influence on, 16

Ni-Cr-Mo-Fe-W alloys, 565-1170C, 336

Holmium vs oxygen, 206

Huey Test, Ti vs HNO_3 , HCl, 98

Humid air, vs dry, W, 600-1000C, 291

Humidity tests, influence on aluminum exfoliation, 7

Hydrates, aluminum, influence on exfoliation, 7

HYDROGEN

17-7 (301), stainless steel cracking, austenitic vs MgCl_2 , 154C, 23

310 embrittlement in sulfuric acid, cathodic charging, 253

310, penetration in sulfuric acid, 253

4340 cracking in sodium chloride, room temperature, 269

4340, permeation, 265

vs Ferrovac 1020, 650-1400 psig, 510-621C, 309

H continued

HYDROGEN Continued

Nitroethane accelerates diffusion 1095 in hydrochloric acid 38C, 294

-Saturated sulfuric acid vs Cr, Ni, 32

Steel, high strength, influence on stress corrosion cracking, 244

Stress corrosion cracking in hydrogen sulfide, influence, 238

vs Titanium, 320

Hydrogen-Fluoride vs high alloys 649C, 194

HYDROGEN SULFIDE

Cold work, influence cracking in, 238

Cracking of carbon, low-alloy steels, 18Ni maraging, Monel, in, 238

vs high strength steels, Monel, 18 maraging, 238

vs steel with carbon dioxide + water, 325, 351

Hy-Tuf, 278

I

Inclusions, sites for stress corrosion cracking-initiating pits, 271

Incoloy 800 vs 650-750C steam, 147

INCONEL

vs 350-650C high purity water/steam, 280

600 vs 650-750C steam, 280

600 vs HNO_3 108C with potassium dichromate, 285

Inor-8, 194

Incubation period, influence on stress corrosion cracking resistance, 302 in MgCl_2 , 261

Indicarb, 207

INHIBITORS

Amines (butyl) n-, Di-n, Tri-n, 53

Cations or anions vs chlorides, 49

Hydrogen sulfide, value versus, 248

Instantaneous rate studies, 215

Lithium chromate vs 54% LiBr, 39

$(\text{NH}_4)_2\text{CrO}_4$ vs ammonia, 113

Nitroethane accelerates hydrogen diffusion into 1095 steel, 294

Titanium in Me 593-703C, 137

Water, vs hydrochloric-methanol, titanium and zirconium, 29

Interface, corrosion in 649C fluoride salts, 194

Intergranular attack, high nickel austenitic steels, ultrapure water and steam 350-650C, 280

Ions, zinc, apparent valency, 134

Iron-All-5% vs oxygen, 500-1000C, 168

ISOTOPES

Anions ^{35}S , ^{36}Cl , ^{131}I , ^{32}P , 49

Cations, ^{63}Ni , 49

K

Kansite, 191, 349

Keithley Electrometer, 217

Kel-F, 230

K-Monel vs hydrogen sulfide, 238

L

Lanthanide metals, oxidation characteristics, 206

Lead, influence, stress corrosion cracking high Ni, NiCr alloys in 350-650C high purity water, steam, 287

Lead-bismuth alloy vs stainless steel, Ta, Mo, Co, Cb cavitation, 260-816C, 157

Leeds & Northrup, 258

L continued

Linear polarization measurements, 0.1 mpy or less, 198

Lithium bromide with 0.2% lithium hydroxide vs A-414 steel, 39

Lithium chromate, influence on A-414 vs LiBr, 39

Lithium fluoride, 649C vs high alloys, 194

Lutetium vs oxygen, 206

M

Mackinawite, FeS, 191, 349

Magnesium alloy in zinc, 132

MAGNESIUM CHLORIDE

vs 17-7 (301), 154C, 23

302 in 42 w/o at 154C, 261

vs 309, 154C, 21

vs Stainless steels, Inconel, Hastelloys, stressed, 42 w/o 154C, 281

Manganese vs stress corrosion cracking of Al-Mg, 69

Manganese sulfide, inclusions initiating stress corrosion cracks, 51

Maraging steel, polarization in sodium chloride, pH 1.5, 235

Martensite, hydrogen sulfide cracking, influence on, 248

Martensitic steel, microprocesses in stress corrosion cracking, 271

MECHANISM

Amines vs aluminum in hydrochloric acid, 58

Hydrogen diffusion accelerated by nitroethane, 295

Hydrogen diffusion through steel, 310 ions deposited on surfaces, 51

Zinc in sodium bromate, 132

MERCURY

304 stainless steel, 593-703C vs, 137

410 stainless steel, 593-703C vs, 137

Columbium-12r, 593-703C vs, 137

vs Molybdenum, 593-703C, 137

vs Tantalum, 593-703C, 137

vs Tungsten, 593-703C, 137

Metals, liquid, vs stainless steel, tantalum, 157

Metals, liquid, vs titanium, 320

Metallic contaminants' effect on zirconium in 500C water, 63

Methane in 1020, hydrogen, 650-1400 psig, 510-621C, 309

Methanol + chlorides vs titanium, 320

Methanol with sulfuric acid, vs titanium, 29

Methanol with hydrochloric acid vs titanium, zirconium, 29

Metall Balance, 207

Microprocesses in stress corrosion cracking 4340 martensitic in sodium chloride, 271

Microstructure changes, materials in 750C steam, 151

Molecular weight, alcohol, influence, cracking time, titanium, zirconium, in hydrochloric-methanol, 29

MOLYBDENUM

17Cr, influence vs sulfuric acid, as alloy, 297

Ferrosilicon alloys, effect on, 117, 130

vs Lead-bismuth, 260-816C, 157

Monel vs hydrogen sulfide, 238

Mudge paint, 229

N

Neodymium vs oxygen, 206

NICKEL AND ALLOYS

18 Ni maraging vs hydrogen sulfide, 238

N continued**NICKEL AND ALLOYS Continued**

- 18% maraging steel vs NaCl + O₂, 235
 200, 270 vs sulfuric acid, 81
 304, 316 stainless steel vs Pb-Bi, 260-816C, 151
 ARC 7915 vs 350-650C high purity water and steam, 280
 Electrode potential in sea water, influence on, 16
 Ferrosilicon alloys, effect on, 117
 vs Hydrogen-saturated sulfuric acid, 25-95C, 32
 Inconel vs 350-650C high purity water and steam, 280
 Ni-Cr-Mo-Fe-W sensitization by heat treatment, 336
 Stainless steel, Incoloy, Inconel, Rene-41 vs 650-750C steam, 147
 Nitroethane accelerates hydrogen diffusion
 1095 vs hydrochloric acid, 38C, 294
 Nitrogen-tetroxide vs titanium, 330
 Nuclear fuel, FVP recovery process, 194

O

- Organics, chlorinated and brominated vs titanium, 320
 Overshoot stabilized Ni-Cr-Mo-Fe-W alloys, 336
 Oxides, on cold worked, annealed 304 stainless steel in 650C steam, 153

OXYGEN

- vs 13Cr, 18-9 steels in sea water, 16
 vs 4340 in sodium chloride, 271
 a brass in cu-ammonia, effect vs, 184
 vs Fe Al 500-1000C, 168
 vs Inconel, Hastelloys, 304L, 316-347 in high purity water 350-650C, 280
 Lanthanide metals vs, 206
 vs Steel, carbon, with brine, hydrogen sulfide and carbon dioxide, 325
 vs Tungsten, 600-1000C, 291
 vs Zirconium in steam, 500C, 60

P

- Passivation, 310, effect on hydrogen charging, 253
 Passivation, pH, influence vs 13Cr, 18-9 steels, 16
 Perspex, 53

pH

- vs 13Cr, 18-9 steels, in sea water, 16
 4340 Steel in sodium chloride + oxygen, influence on polarization, 229
 4340 in sodium chloride, influence on stress corrosion cracking, 271
 a brass in cu-ammonia, influence on stress corrosion cracking, 180
 Solution effects on Fe vs H₂S, CO₂, H₂O, 351
 Steel, carbon, influence in fatigue tests, 325
 Steel, high strength, influence on stress corrosion cracking in hydrogen sulfide, 248

- Phillips recorder, 122
 Phosphorus, 17Cr, influence vs sulfuric acid, as alloy, 297
 Photomicrographs, tantalum in KCl-H₃PO₄-H₂O, 1

PITTING

- 202, 321 in sulfuric acid, types, 257
 4340 martensitic, initiation of stress corrosion cracking, 271
 FeCr alloys vs hydrochloric acid, 107

- Platinum electrode in 649C fluoride salts, 194
 Platinum fatigue of heart pacemaker wires, 205

P continued**POLARIZATION**

- 4340, influence on stress corrosion cracking time vs sodium chloride, 275
 Anodic vs stress corrosion cracking
 301, in MgCl₂, 154C, 23
 Anodic, 1045, 4047, 4140, 4340, 5140 in sulfuric acid, 346
 Cathodic, vs stress corrosion cracking
 17-7 in MgCl₂, 23
 Fe Cu, tests in hydrochloric acid, 107
 Potassium chloride vs tantalum with phosphoric acid, 120C, 1
 Potassium citrate-Cu vs a brass, 184
 Potassium tartrate-Cu vs a brass, 184
 Potentiostatic testing, 4340 vs sodium chloride, 229
 Potentiostatic testing, nickel in sulfuric acid, 81
 Powder, ferrosilicon, for ore beneficiation, 117
 Praseodymium vs oxygen, 206
 Precipitate, grain boundary, carbon-silicon, influence on stress corrosion cracking, 277, 278
 Pressure vessels, M-Cr-Mo-Fe-W, welding of, 336
 Prosthetic materials, stress corrosion cracking in body, 205
 Pseudo-passivation, nickel in sulfuric acid, 86

Q

- Quasi-martensite, 21

R

- Radioactivation analysis of zirconium, 62
 Radioisotopes, tritium in stress corrosion cracking tests, 275
 Radiotracers, Ta¹⁸² in KCl-H₃PO₄-H₂O, 1
 Rates, instantaneous, value in inhibitor studies, 215
 Rates, measuring, 0.1 mpy or less, 198
 Refractory metals vs mercury, 593-703C, 137
 Rene 41 vs 650-750C steam, 147
 Rodine 82A, 43

S

- Samarium vs oxygen, 206
 Self-dissolution from zinc in sodium bromate, 132
 Sensitization of Al-Mg at 100C, 68
 Sensitization, Ni-Cr-Mo-Fe-W, by heat treatment, 336
 Servo/Riter potentiometric recorder, 217
 Silica, influence on oxygen vs zirconium, 60
 Silicon, 17Cr, influence vs sulfuric acid, as alloy, 297
 Silicon vs steam 650-750C, influence as alloy, 147
 Simpson ammeter, 217
 Sodium bromate vs zinc, 132

SODIUM CHLORIDE

- vs 4340, stress corrosion in, 271
 4340 tubing, 218C vs, 265
 vs 4340, stressed, + oxygen, 229
 vs Ferrosilicon alloys, 117
 vs High strength steel, with hydrogen sulfide, 238

- Sodium fluoride, 649C vs high alloys, 194
 Sodium sulfate vs ferrosilicon alloys, 117
 Spectroil, 60

STEAM

- 650-750C, 42 kg/cm² vs stainless steel, Incoloy, Inconel, Rene 41, 147
 Oxygen in, vs zirconium, 500C, 60

S continued**STEEL, CARBON**

- A414 vs LiBr, 25C, 39
 1095, vs hydrochloric acid, 294
 4340, vs hydrogen, 218C in sodium chloride, 265
 4340 vs sodium chloride + oxygen, 229
 4340, stress corrosion vs sodium chloride, 271
 vs Brine with air, hydrogen sulfide, and carbon dioxide, 325
 High strength vs hydrogen sulfide, sodium chloride, 238
 Sulfurous acid vs, 137

STEELS, STAINLESS

- 17Cr, ferritic effect of Mo, Cu, Si, P on anodic behavior in H₂SO₄, 297
 17-7, stress corrosion vs 42 w/o MgCl₂, 23
 18-8, ferritic, stress corrosion cracking, in MgCl₂, 23
 202, vs sulfuric acid + sodium chloride, 257
 301 (17-7) vs 42 w/o MgCl₂, 154C, 23
 302, austenitic, grain size influence on stress corrosion cracking, 261
 304, cavitation by Pb-Bi 260-816C, 157
 304, cold work, annealed at 700-900C, 152
 304 vs 100 ppm NaCl, boiling, 50
 304 vs 650-750C steam, 147
 304 L, polarization at 0.300V SCE in sulfuric acid, 198
 309 austenitic vs MgCl₂, 154C, 21
 310 vs sulfuric acid + sodium arsenite, 23
 316, cavitation by Pb-Bi 260-816C, 157
 316, vs 650-750C steam, 147
 321 vs sulfuric acid + sodium chloride, 257
 321 vs 650-750C steam, 147
 321 vs sulfuric acid + sodium chloride, pitting, type on, 257
 406 vs 650-750C steam, 147
 625 vs 650-750C steam, 147
 X750 vs 650-750C steam, 147
 4340 in 218C sodium chloride, influence on cracking, 266

STRESS CORROSION

- 304L vs 350-655C high purity water, steam, 280
 316 vs 350-650C high purity water, steam, 280
 347 vs 350-650C high purity water, steam, 280
 Copper and alloys in ammonia, 113
 High nickel austenitic steels in ultrapure water and steam 350-650C, 280

STRESS CORROSION CRACKING

- 17-7 (301) austenitic 42 w/o MgCl₂, 154C, 23
 309 in 42 w/o MgCl₂, 21
 310, cathodic charging of hydrogen in sulfuric acid, 253
 4340 vs NaCl + O₂, 229
 a brass vs ammonia, 178
 Al-Mg 5000 series in sea water, 68
 Initiation at Mg sulfide inclusions, 49
 Ni, Ni-Cr alloys 350-650C high purity water and steam, 280
 Titanium in chloride, 320
 Titanium in HCl-methanol, 29
 Zirconium in HCl-methanol, 29

- Stress-relief, Ti, Zr vs HCl-methanol, 29
 Structure, influence on metal failure, 23
 Substitutional steel 202 vs sulfuric acid + sodium chloride, 267
 Sulfide-Fe films, identification, 191
 Sulfur dioxide vs low carbon steels, 143
 Surface, passive effect on hydrogen permeation 310, 253
 Surface topography, Ni and Cr vs hydrogen-saturated sulfuric acid, 32
 Swagelok, 216

T**TABULATED DATA**

- 410, 304 stainless steel vs boiling mercury, 139
 Absorption spectra cu-ammonia, 181
 Al-Mg tensile properties after 86 months in sea water, 70
 Al5Mg alloys stressed in atmosphere, 72
 Al6.7Mg alloys, stressed in atmosphere, 71
 Activation energies, nickel in hydrogen-saturated sulfuric acid + NK₂SO₄, 32
 Cathodic protection, high alloys in 649C fluoride salts, 197
 Cavitation, Pb-Bi 260-816C vs stainless steel, tantalum, molybdenum, Cb, 160, 164
 Cold work effect on line pipe low carbon steel cracking, 244
 Contamination in 500C water, effect vs zirconium, 64
 Corrosion current vs inhibitor concentration lithium chromate, 44
 Corrosion products, steel + air + sulfur dioxide + water vapor, 145
 Cracking, N-80, in air, carbon dioxide, hydrochloric acid, sulfuric acid, 244
 Electrochemical parameters 17Cr, effects Mo, Cu, Si, P, 301
 Electrode potential mercury/solution couples, 77
 Electron probe microanalysis of zirconium, 65
 Hydrogen sulfide concentration effect vs high strength steels, 244
 Incoloy 800, Al modified, loss in 650C steam, 151
 Inhibition vs cracking high strength steels hydrogen sulfide + sodium chloride, 245
 Lanthanide metals, activation energies for oxidation, 209
 Lanthanide metals, oxidation data, 207
 (NH₄)₂CrO₄ vs cracking time stressed brass, 115
 (NH₄)₂CrO₄ vs copper and brass during 6 weeks in ammonia, 114
 N-80-2 cracking in hydrogen sulfide + sodium chloride after high temperature heat treatment, 243
 Ni-Cr-Mo-Fe-W alloys stabilization, numerous data, 339, 343
 Normalized high strength steel vs hydrogen sulfide, 342
 Normalized and tempered high strength steels vs hydrogen sulfide, 243
 Oxidation and rate constants, lanthanide metals, 208
 Oxygen layers on Fe-Al 500-600C, 173
 Oxygen scale vs time, Fe-Al, 171
 Passive film breakdown times, 17Cr + Mo ferritic stainless steels, 304
 Steel, high strength, vs Brown-Bassett fluids, failure times, 245
 Steel, mild, vs Li Br weight loss, 43
 Steel, quenched and tempered vs hydrogen sulfide, 243
 Sulfide cracking resistance, alloy steels, 244
 Tantalum vs KCl-H₃PO₄-H₂O, 120C, p. 1
 Zn-Au, Zn-Mg, Zn-Al, anodic disintegration in sodium bromate, 135
 Zinc, percent disintegration in sodium bromate at 25C, 134
 Tacussel voltmeter, 122, 258
 Tantalum vs KCl-H₃PO₄-H₂O, 120C, p. 1
 Tantalum vs Pb-Bi, 260-816C, p. 157
 Tantiron, 118
 Tarnish, composition, brass in cu-ammonia solution, 180

TECHNIQUES

- 3-electrode polarization measurements, 215
 Polarization resistance, measurement, 39
 Steel, vs hydrogen sulfide + sodium chloride, 238

T continued	T continued	T continued	W	
Teflon, prosthetic use, 205 Tektronix oscilloscope, 230	TESTING, LABORATORY Continued	TESTING, LABORATORY Continued	WATER	
TEMPERATURE				
25-95C, influence on hydrogen-saturated sulfuric acid, 32 43-66C, vs Ni, H ₂ SO ₄ + K ₂ SO ₄ , 32 Control, importance in titanium tests, 105 vs Cracking time, Ti, Zr in HCl-methanol, 29	309 vs 42 w/o MgCl ₂ , 154C, 21 A-414 steel vs LiBr, 25C, 39 1020 vs H ₂ , 650-1400 psig, 510-621C, 309 1095 vs HCl, 38C, 294 4340, stress corrosion cracking in sodium chloride, 271 4340, stress corrosion cracking in sodium chloride + oxygen, 229 Aluminum, exfoliation, accelerated, 7 Brass, stress corrosion cracking vs ammonia, 178 Cabinets, for salt spray, 7 Chromatography, paper, Ta in KCl-H ₃ PO ₄ -H ₂ O, 1 Ellipsometric method, 88 Ethanol - HCl vs Ti, Zr, 29 Fe 15-40Cr alloys vs hydrochloric acid, 107 Fe-Al alloys vs oxygen, 500-1000C, 168 Ferrosilicon alloys vs NaCl, Na ₂ SO ₄ , HCl, H ₂ SO ₄ , 117 High alloys vs fluoride salts, 649C, 194 Hydrogen cathodic charging 310 in sulfuric acid, 253 Inhibitor studies, instantaneous rates, 215 Lanthanide metals vs oxygen, 206 Lead-bismuth alloy, cavitation 260-816C vs stainless steel, Ta, Mo, Cb, 157 Mercuric nitrate vs Cu alloys, 74 Mercury, boiling vs refractory metals, 137 Methanol - H ₂ SO ₄ vs Ti, Zr, 29 Oxygen vs tungsten, 600-1000C, 291 Potentiostatic, Ni, Cr in hydrogen-saturated sulfuric acid, 25-95C, 32 Radioactive tracers for stress corrosion cracking of stainless steel, 48 Rates, low, measurement 0.1 mpy or less, 198 Steam, 650-750C vs stainless steel, Incoloy, Inconel, Rene 41, 147 Steel, low carbon, vs sulfurous acid, 137 Steels, Monel, etc., vs hydrogen sulfide, 238 Ta ¹⁸² for tantalum in KCl-H ₃ PO ₄ -H ₂ O, 1	Titanium vs HCl-methanol, 29 Zirconium vs HCl-methanol, 29 Zirconium vs oxygen in distilled water, 500C, 60	Tests, service, 5000-series Al-Mg in sea water, 68 Thulium vs oxygen, 206	High purity vs High nickel, Cr-Ni alloys 350-650C, 280 " " vs titanium, 323 " " vs zirconium, 60 Titanium + zirconium, influence vs stress corrosion cracking in HCl-methanol, 29 Water, salt, 13Cr, 18-9 steels, with oxygen, vs, 16 Water, salt, Aluminum vs 5000 series, 68 Water vapor + air + sulfur dioxide, 137 Welding Ni-Cr-Mo-Fe-W, heat treating effect vs sensitization, 336 Welds, Al-Mg, vs sea water, 69 Wenking potentiometer, 122, 229 Whiskers, oxide on 5% Al-Fe at 900C, 173
TEMPERATURE, HIGH		TITANIUM and ALLOYS	X	
260-816C, Pb-Bi alloy, cavitation vs stainless steel, Ta, Mo, Cb, 157 350-650C vs high Ni, Cr-Ni alloys, high purity water, 280 500C, distilled water vs zirconium, 60 500-1000C, O ₂ vs Fe-Al, 168 593-703C, Mercury vs 304 stainless steel, 137 593-703C, Mercury vs 410 stainless steel, 137 593-703C, Mercury vs W, Mo, Ta, Cb1-Zr, 137 600-1000C, O ₂ vs W, 291 649C, fluoride salts vs high alloys, 194 650-750C steam vs stainless steel, Inconel, Incoloy, Rene 41, 147 Tempering 4340, effect 900F on stress corrosion cracking susceptibility, 278 Tempering 4340, stress corrosion cracking in sodium chloride, 229 Terbium vs oxygen, 206		13Cr, 18-9 steels in sea water, alloy in, 16 vs Hydrochloric acid-methanol, cracking, 29 Hydrogen, chlorine, chlorides, bromides, iodides, chlorates, HNO ₃ , NiO ₂ , molten metals, organics, vs, 320 Mercury 593-703C vs W, Mo, Ta, Cb1Zr, 304, 410 stainless steel, 137 Nitric acid 65% + water, boiling, 99 Prosthetic use of, 205 vs Sulfuric acid + water, boiling, 98 Ti ⁴⁺ concentration influence vs boiling acids, 98		
TESTING, LABORATORY			X-ray fluorescence analysis, FeCr vs HCl, 107	
1035 AISI vs brine, hydrogen sulfide, carbon dioxide, air and fatigue, 325, 333 13Cr, 18-9 steels in sea water, 16 17Cr steels, anodic behavior vs Mo, Cu Si, P, H ₂ SO ₄ , 297 200, 27 Ni in H ₂ SO ₄ , 81 202, 321 vs H ₂ SO ₄ + NaCl, 257 301 (17-7) vs MgCl ₂ , 154C, 23 304L, 316, 347, Inconel, Hastelloys vs 350-650C high purity water, steam, 280		Tritium, concentration at 4340 structural features, 275 Tungsten, vapor-plated vs oxygen, 600-1000C, 291 Turbogenerator systems, mercury 593-703C vs materials for, 137 Tygon, 123	Y	
			Yttrium vs oxygen, 206	
			Z	
		U	ZINC	
		Uranium, ferrosilicon alloys, effect on, 117 Uranium vs fluoride salts, 649C, 194 Ultrasonic cavitation Pb-Bi alloy, 260-816C vs stainless steel, Ta, Mo, Cb, 157	-Mercury amalgam vs 260 brass, 74 Role in a brass stress corrosion cracking in cu-ammonia, 188 vs Sodium bromate, 132	
		V	ZIRCONIUM and ALLOYS	
		Vapor-phase, MgCl ₂ , 309 failure in, 21 Viton, 218 Vitresol, 60	Fluoride vs high alloy, 649C, 194 vs HCl-methanol, 29 vs Steam, 500C, 60 Zircaloy vs 649C fluoride salts, 194	

CORROSION, Volume 22, 1966

M continued

See R. R. Sayano 81

O	S	S continued	U
Overman, R. F. Using Radioactive Tracers to Study Chloride Stress Corrosion Cracking of Stainless Steels. 48	Saegusa, F. Oxidation of Iron Aluminum Alloys in the Range 500-1000 C, with L. Lee. 168	Stephan, E. F. See L. K. Matson 194	Uhlig, H. H. See I. Matsushima 23
P	Samans, C. H. Sensitization and Thermal Stabilization of Ni-Cr-Mo-Fe- W Alloy with A. R. Meyer and G. F. Tisinal. 336	Straumanis, M. E. Surface Disintegration of Zinc Mono- and Polycrystals Dissolving Anodically in Sodium Bromate Solutions and the Apparent Valency of Zinc Ions, with Y. Wang. 132 Discussion: 205	Ulanovskii, I. B. See Yu. M. Korovin. 16
Pelas, M. See Coriou, H. 280	Sardisco, J. B. 190,351	Stueber, R. J. Hydrogen Attack of Steel Under Dynamic Exposure Conditions, G. H. Geiger 309	Unni, V. K. V. Inhibition of Aluminum Corrosion in Hydrochloric Acid by N-, Di-n and Tri-n-Butylamines with T. L. Rama Char 53
Phelps, E. H. 269,278	Saxer, R. K. See E. R. Burkart, V. L. Barnwell J. R. Myers 21,32,261	Sudbury, J. D. 349	V
Piotrowski, A. See R. Lebet 257	Sayano, R. R. Continuous and Pulse Polarization of Ni in H ₂ SO ₄ , with Ken Nobe. . . . 81	T	Vromen, A. See A. Alon 1
Pitts, R. E. 190,351	Schlueter, R. R. See W. E. Ruther 147	Takamura, Akira See Mori Kenji 29	W
R	Schor, M. See A. Alon 1	Teumac, Fred N. 228	Wang, Y. See M. E. Straumanis. 132
Rama Char, T. L. See V. K. V. unni 53	Shanefield, D. See Dauerman, L. 294	Tiner, N. A. Microprocesses in Stress Corrosion of Martensitic steels, with C. B. Gilpin. 271	Wanklyn, J. N. See J. T. Demant 60
Riggs, O. L. 49,351	Shimose, Takaaki See Kenji Mori 29	Tisinal, G. F. See Samans, C. H. 336	Ward, Alan Graham 166
Robinson, F. P. A. Polarization and Corrosion of Ferrosilicon Alloys for Iron Ore Beneficiation Media, with D. J. DuPlessis 117	Shively, J. H. Hydrogen Permeability in a Stable Austenitic Stainless Steel, with R. F. Hehemann and A. R. Troiano. 253	Toy, S. M. Polarization of Strained AISI 4340 Steel in Oxygenated NaCl solu- tions 229	Wehrung, John M. See Hugh L. Logan. 265
Rogers, R. R. See W. McLeod 143	Sprolows, D. O. See B. W. Lifka 7	Troiano, A. R. See J. H. Shively. 253	Weiman, Sam H. Titanium Corrosion in Aqueous Solutions 98
Romano, A. J. See A. H. Fleitmand 137	Steigerwald, R. F. Effect of Cr Content on Pitting Behavior of Fe-Cr Alloys 107		Wohlfeld, Gustave 205
Rosborough, W. M. See C. M. Hudgins 238			
Ruther, W. E. Corrosion Behavior of Steels and Nickel Alloys in Superheated Steam, with R. R. Schlueter, R. H. Lee and R. K. Hart. 147			

